

Universo (18-7-9)


HUMIC-MINERAL NPK WITH POTASSIUM FROM SULPHATE ACTIVATED WITH β^+




25KG



BIG BAGS



Laevorotatory plant amino acids and readily available energy for the plant



Significant expansion of the root system and greater nutritional efficiency



Improved chemical and physical properties of the soil and reduced soil fatigue



Increased nutrient efficiency: conveyance, modulated absorption and transport



Increase in and nourishment of beneficial microbial flora

NUTRITIONAL COMPOSITION	%
Total nitrogen (N)	18
Organic nitrogen (N)	1.9
Ammonia nitrogen (N)	9.6
Urea nitrogen (N)	6.5
Total soluble phosphorus pentoxide (P ₂ O ₅)	7
Potassium oxide (K ₂ O)	9
Sulphur trioxide (SO ₃), water-soluble	5
Humic and fulvic acids	5.5
Plant-based organic matter	16

DOSAGE AND METHOD OF USE		
CROPS	PHENOLOGICAL STAGE	DOSE kg/ha
Stone and pome fruits	Resumption of growth or post-harvest	350-500
Wine and table grapevines	Resumption of growth or post-harvest	350-500
Olive and hazel trees	Resumption of growth or post-harvest	350-500
Fruiting vegetables	Post-emergence	200-350
Leafy vegetables	Post-emergence	200-350
Root, bulb, or tuber vegetables	Post-emergence	200-350
Industrial crops and legumes	Post-emergence	150-300
Seed crops	Post-emergence	150-300
Nursery, Ornamental Crops, and Floriculture	Post-transplanting and resumption of growth	150-300
Lawns and ornamental greenery	Resumption of growth	150-300

